Using the new Google Analytics

BIBLIO CON'23

setting up GA and using custom data in reporting



A little about me...



And a little about today's presentation...

Now some assumptions...

My process...






It's important to understand the difference between Events and Parameters in GA. Events can have parameters that give you more detail about the event in question.

As Google's documentation states, "An event parameter lets you capture information about an event" (<u>GA4 Event Parameters</u>)

Creating custom dimensions – where to go





Creating a custom dimension - steps



× New custom dimension	Save
Creating a custom dimension with a high number of sure to follow best practices when creating custom Learn more about best practices	unique values may negatively impact your reports. Be dimensions.
Dimension name ①	Scope ⑦ Event 6
Event parameter ③ Select an event parameter	
bib_fulfillment_provider	
campaign	
community_content_id community_content_type	
content	


Deciding which dimensions to create



Α	В	C	D	E	F
Bib record	Core				Custom dimension name
Parameter	Definition	Value	Controlled values	Create custom dimension?	
bib_metadata_id	The metadata ID assigned to a bibliographic resource.	{metadata ID}	constructed from a library's BiblioCore Library ID and the ID assigned to a bibliographic record by the ILS	Yes?	Metadata ID
bib_group_key	The group key assigned to the bibliographic resource.	{group key}	is a BiblioCore identifier used to co- locate expressions of works and aggregate manifestations. It is constructed from bibliographic and mapped metadata	Yes	Bib Group Key
bib_availability_status	The aggregate availability status of the bibliographic resource at the time of interaction.	{status code}	AVAILABLE AVAILABLE_IN_BRANCH LIBRARY_USE_ONLY (means available) ON_ORDER ON_ORDER UNAVAILABLE	Yes	Bib Availability Status
bib_hold_count	The number of holds on the bibliographic resource at the time of interaction.	{holds count}		Yes	Bib Hold Count
bib_total_item_count	The total number of items for the bibliographic resource at the time of interaction.	{total items count}		Yes	Bib Total Item Count
bib_audience	The audience assigned to a bibliographic resource.	{audience code}	adult teen juvenile (children) undetermined	Yes	Bib Audience
bib_format	The format assigned to a bibliographic resource.	{format code}	See list here: https://partnerportal.bibliocommons.co m/hc/en-us/articles/360056437951	Yes	Bib Format
bib_fiction_type	The fiction/content type assigned to a bibliographic resource.	{fiction type code}	fiction nonfiction government_documents undetermined	Yes	Bib Fiction Type
bib_fulfillment_provider	The provider responsible for fulfilment of the bibliographic resource.	{fulfilment provider code}	Ours should list only "ILS" as we do not have any integrations through BC.	no	
Card	These appear to apply to BiblioWeb only				+
Parameter	Definition	Value			
card id	The card ID assigned to a card.	{card ID}		n/a	
card_type	The card type of the BiblioWeb card.	{card type code}		n/a	
card_title	The title of the BiblioWeb card.	{card title}		n/a	
ContentCreator	Not sure if these apply to BiblioWeb only, or to Core also				
Parameter	Definition	Value			
	The username of the user associated with content identified in the				
Custom event	Custom parameters Resources +		: •		

Custom dimensions in the Explore interface






You have your custom data, now what...?


Creating a Looker Studio report





Creating filters for Looker Studio









Custom BC **events** pull into the Exploration interface and Looker Studio on their own without needing to create custom dimensions. We just need to create **custom dimensions for custom BC parameters**.

Example Looker Studio reports



Here are a couple of example reports to look at:

Catalog Activity (BiblioCore)


https://lookerstudio.google.com/reporting/502a1460-e245-4482-8a8b-e768dff8ddb6

Or a template version

Event Calendar Registration details (BiblioEvents)

https://lookerstudio.google.com/reporting/78eec635-e56d-43be-a854-60bc753319ff

Or a template version



Wrap up



Thank you!



Marie Martin Web Administrator mariem@wccls.org 971-358-6956

Resources - BiblioCommons



Analytics: BiblioCommons Custom Events

https://partnerportal.bibliocommons.com/hc/en-us/articles/12409365553940-Analytics-BiblioCommons-

Custom-Events

Analytics: BiblioCommons Entities and Custom Parameters

https://partnerportal.bibliocommons.com/hc/en-us/articles/12409414979860-Analytics-BiblioCommons-

Entities-and-Custom-Parameters

Analytics: Controlled Values for BiblioCommons Entities and Custom Parameters
https://partnerportal.bibliocommons.com/hc/en-us/articles/12852014444564-Analytics-Controlled-Values-for-BiblioCommons-Entities-and-Custom-Parameters

Analytics: Adding Parameters as Custom Dimensions for Use in Reports https://partnerportal.bibliocommons.com/hc/en-us/articles/16461095528980-Analytics-Adding-Parameters-as-Custom-Dimensions-for-Use-in-Reports-or-Explorations

Resources - Google



General Google Analytics 4 (GA4) help pages https://support.google.com/analytics/?hl=en#topic=10737980

General Looker Studio help pages https://support.google.com/looker-studio?sjid=12877693959171672860-NA#topic=6267740

GA4 event parameters (Google support)
https://support.google.com/analytics/answer/13675006

Looker Studio filters
https://support.google.com/looker-studio/answer/6291066?hl=en#:~:text=A%20single%20component%20can%20have,using%20the%20IN%20option%20instead
Oinstead

Create a template in Looker Studio https://support.google.com/looker-studio/answer/9851950?hl=en#create&zippy=%2Cin-this-article